

**AUSSIE BUCKETS**  
SAY NO TO MARKUPS



# Hydraulic Thumb

2025

PRODUCT OVERVIEW.....	01
SPECIFICATIONS & FEATURES.....	03

\*Pictured model: 12-18T Hydraulic Thumb



# Hydraulic Thumb

AVAILABLE FOR 1.7T-35T

Aussie Buckets' Hydraulic Thumb attachment are the go to for enhancing material handling efficiency for in range of industries such as landscaping, construction or farms.

Designed for reliability, it features a fully retractable design, relief and balance valves, and a single running base plate for welding. Aussie Buckets provides two primary models: the Weld-On Hydraulic Thumb and the Pin-On Hydraulic Thumb.

The Weld-On model is a robust and versatile solution, offering easy installation and a universal design suitable for a wide range of excavators. It fully retracts to align with the

stick when not in use and includes a relief valve to protect the ram, balance valves to prevent hydraulic droop, and manifold blocks to safeguard against cylinder damage.

For customers requiring a customizable option, the Pin-On Hydraulic Thumb provides flexibility in adapting to various configurations for specific operational needs.

# Specifications

## Weld-On Hydraulic Thumb

Tonnage	Weight (kg)	Catch Width (mm)	Catch Length (mm)	Thumb Arc	Base Plate Length (mm)	Base Plate Width (mm)	Tyne Amount	Oil Flow (lpm)	Pressure (Bar)
1.7 - 2.5	50	266	630	119°	812	134.5	2	20 - 40	100 - 110
2.6 - 3.5	60	266	870	120°	812	134.5	2	20 - 40	100 - 110
4 - 6	92	380	1015	115°	904	146	2	30 - 55	110 - 140
7 - 11	126	480	1130	115°	904	146	4	30 - 55	110 - 140
12 - 18	310	650	1400	106°	1626	190	4	90 - 110	150 - 170
16 - 26	675	824	1742	117°	2251	243	4	100 - 160	180 - 220
27 - 30	750	880	1800	114°	2251	283	4	120 - 180	180 - 220
33 - 35	860	1200	1900	114°	2251	343	4	140 - 220	190 - 240

## Pin-On Hydraulic Thumb

Tonnage	Weight (kg)	Catch Width (mm)	Catch Length (mm)	Tyne Amount	Oil Flow (lpm)	Pressure (Bar)
1.7 - 2.5	50	266	CUSTOM	2	20 - 40	100 - 110
2.6 - 3.5	60	266	CUSTOM	2	20 - 40	100 - 110
4 - 6	92	380	CUSTOM	2	30 - 55	110 - 140
7 - 11	126	480	CUSTOM	4	30 - 55	110 - 140
12 - 18	310	650	CUSTOM	4	90 - 110	150 - 170
16 - 26	675	824	CUSTOM	4	100 - 160	180 - 220
27 - 30	750	880	CUSTOM	4	120 - 180	180 - 220
33 - 35	860	1200	CUSTOM	4	140 - 220	190 - 240

### Features



#### Relief Valve

Increased gripping force and reduced stress on the hydraulic system, improving thumb lifespan.

#### Balance Valve

Safer and more reliable design with enhanced control over gripping operations.



#### Universal Fit & Fully Retractable

Fully retractable preventing interference with other non-grabbing operations.

## **AUSSIE BUCKETS**

**SAY NO TO MARKUPS**

For complete information on Aussie Buckets products and industry solutions, visit our website:

[www.aussiebuckets.com.au](http://www.aussiebuckets.com.au)

The photos in this catalog display various tonnages and are for illustrative purposes only. To confirm specific wear and design elements, please discuss your requirements with a member of our team. Final designs and wear elements may vary by tonnage. All product specifications were accurate at the time of publishing; however, these may differ from current specifications. For the latest details, please consult with an attachment specialist.

The words "Aussie Buckets" and the associated logo are registered trademarks within Australia.

© 2025 AUSSIE BUCKETS PTY LTD