

Excavator Pallet Fork

2025

PRODUCT	OVERVIEW		 	 	01
SPECTETO	3 PMOTTAC	FEATURES			മാ



AVAILABLE FOR 1T-36T

Excavator Pallet Fork

Our Excavator Pallet Forks (also known as Fork Attachments or Material Handling Forks) feature adjustable width forks with spring-loaded locking clips for easy load handling. Perfect for palletised material handling when forklifts are unavailable. Various tyne sizes available upon request.





Specifications

Tonnage	Frame Width (mm)	Frame Height (mm)	Fork Length (mm)	Lifting Capacity (kg)	Weight (kg)
1-3.8	900	405	900	2000	105
4 - 9	1000	405	1200	2500	290
10-15	1200	504	1200	3500	480
16-24	1500	635	1500	5000	765
25-36	1500	635	1500	7000	1180



Adjustable Width With Spring-Loaded Locking Clip

Adjustable fork spacing with spring-loaded pins and sliding mount provides flexibility for various load sizes.

Quality Assurance Testing

Each unit is rigorously tested to ensure quality and reliable performance.

Rated Tyne Lifting Capacity

Rated for optimal load capacity, providing safe and efficient material handling across job sites.

AUSSIE BUCKETS

For complete information on Aussie Buckets products and industry solutions, visit our website:

www.aussiebuckets.com.au

The photos in this catalog display various tonnages and are for illustrative purposes only. To confirm specific wear and design elements, please discuss your requirements with a member of our team. Final designs and wear elements may vary by tonnage. All product specifications were accurate at the time of publishing; however, these may differ from current specifications. For the latest details, please consult with an attachment specialist.

The words "Aussie Buckets" and the associated logo are registered trademarks within Australia.

© 2025 AUSSIE BUCKETS PTY LTD