

# Hydraulic Tree Shear

2025

PRODUCT	OVERVIEW		 01
SPECTETO	3 PMOTTAC	FEATURES	a:



AVAILABLE FOR 4T-30T

## Hydraulic Tree Shear

Aussie Buckets' Hydraulic Tree Shear also known as a Tree Cutter Attachment, or Tree Trimming Attachment is designed for efficiency, safety, and durability, and is an essential tool for professional forestry work or agricultural clearing, delivering unmatched performance in even the toughest environments.

Provides powerful and efficient tree felling with its single-ram design and wide clamp opening, this attachment ensures trees are securely gripped and felled with ease.

Constructed for maximum durability, the shear features a NM400 body, a 355 mild steel hitch, and a HARDOX 500 blade, built to withstand extreme wear and torsional forces.

To enhance longevity and minimise downtime, replaceable blades also allow for cost-effective maintenance.

For added operator safety and attachment protection, the Tree Shear comes equipped with mast support, ensuring trees remain stable and upright during cutting, whilst hose guards prevent damage to hydraulic components. Each unit includes hydraulic hoses with machine-side couplers, ensuring quick and hassle-free installation.






0

### **Specifications**

Tonnage	Opening Size (mm)	Maximum Tree Diameter (mm)	Pressure (Bar)	Flow (lpm)	Weight (kg)
4 - 6	564	200	180	25-30	265
8-10	607	300	200	30-35	420
12-18	847	350	220	60-65	1160
20-30	995	500	220-230	80-100	1560



#### **Powerful Single Ram**

Powerful single ram minimises cycle time, clearing trees in seconds for improved efficiency.

#### **Mast Support**

Keeps trees stable and straight when cutting, ensuring operator safety.

#### **Wide Clamp Opening**

Securely grip trees and materials with a wide clamp and curved guide, enhancing efficiency.

## AUSSIE BUCKETS

For complete information on Aussie Buckets products and industry solutions, visit our website:

www.aussiebuckets.com.au

The photos in this catalog display various tonnages and are for illustrative purposes only. To confirm specific wear and design elements, please discuss your requirements with a member of our team. Final designs and wear elements may vary by tonnage. All product specifications were accurate at the time of publishing; however, these may differ from current specifications. For the latest details, please consult with an attachment specialist.

The words "Aussie Buckets" and the associated logo are registered trademarks within Australia.

© 2025 AUSSIE BUCKETS PTY LTD