



# Digging Bucket

2025

PRODUCT OVERVIEW..... 01  
SPECIFICATIONS & FEATURES..... 03



\* Pictured model : 20-24T Digging Bucket 1200mm Wide



# Digging Bucket

AVAILABLE FOR 1.2T-48T

Aussie Buckets' Digging Buckets are expertly designed to deliver superior versatility and durability in demanding environments. Engineered with a dual-radius design, side cutters, and robust 400-grade steel construction (upgradable to HARDOX 450 & NM400), these buckets ensure optimal lifetime and operational efficiency. Fully equipped with wear packages to suit your needs, bolt on edges, teeth, weld on edges are all available based on your requirements.

In Australia, various terms refer to similar excavator attachments, including GP Buckets, Trenching Buckets, Gummy/ Servicing Buckets, and Standard Buckets. These are unified under "Digging Buckets" for clarity and simplicity.

- Trenching Buckets, designed for specific widths (150-600mm), are ideal for pipe and line installations.
- General Purpose Buckets, are typically wider (600-1500mm), and are used for bulk earthmoving.
- Gummy Buckets, with a flat bolt on edge instead of teeth, are tailored for cable work with minimal impact on service lines.

Each bucket features a dual-radius profile, integrated head bracket, and chisel teeth for efficiency and precision.

## Specifications

Tonnage	Width (mm)	Weight (kg)	Volume (m <sup>3</sup> )	Teeth
1.2 - 1.8	150	36	0.012	2
1.2 - 1.8	200	38	0.016	2
1.2 - 1.8	300	43	0.025	3
1.2 - 1.8	450	50	0.037	4
1.2 - 1.8	600	61	0.049	5
2 - 2.7	150	39	0.020	2
2 - 2.7	200	41	0.028	2
2 - 2.7	300	49	0.040	3
2 - 2.7	450	61	0.050	4
2 - 2.7	600	73	0.070	5
2.8 - 4	200	55	0.030	2
2.8 - 4	300	66	0.040	3
2.8 - 4	400	81	0.070	4
2.8 - 4	450	78	0.070	4
2.8 - 4	600	95	0.090	5
4.5 - 6	200	92	0.040	2
4.5 - 6	300	99	0.050	3
4.5 - 6	450	120	0.080	4
4.5 - 6	600	140	0.110	5
4.5 - 6	750	162	0.140	6
4.5 - 6	900	182	0.160	7
6.5 - 9	300	150	0.100	3
6.5 - 9	450	180	0.140	4
6.5 - 9	600	212	0.190	5
6.5 - 9	750	236	0.240	5
6.5 - 9	900	260	0.290	6
10 - 14	300	288	0.121	2
10 - 14	450	315	0.207	3
10 - 14	600	354	0.294	3
10 - 14	750	381	0.388	4
10 - 14	900	419	0.482	5
15 - 18	300	320	0.121	2
15 - 18	450	344	0.214	3
15 - 18	600	378	0.320	3
15 - 18	750	412	0.423	4
15 - 18	900	445	0.525	5
20 - 24	300	425	0.133	2
20 - 24	450	464	0.224	3
20 - 24	600	505	0.384	3
20 - 24	750	550	0.515	3
20 - 24	900	606	0.646	4
20 - 24	1200	710	0.818	5
20 - 24	1500	820	1.072	6
20 - 24	300	440	0.134	2
25 - 28	450	479	0.252	2
25 - 28	600	520	0.346	3
25 - 28	750	568	0.463	3
25 - 28	900	626	0.582	4
25 - 28	1200	732	0.818	5
25 - 28	1500	850	1.053	5
30 - 34	300	695	0.169	2
30 - 34	450	797	0.339	2
30 - 34	600	879	0.447	3
30 - 34	750	981	0.606	3
30 - 34	900	1063	0.766	4
30 - 34	1200	1247	1.084	5
30 - 34	1500	1460	1.402	5
35 - 38	300	716	0.129	2
35 - 38	450	819	0.287	2
35 - 38	600	879	0.447	3
35 - 38	750	1010	0.606	3
35 - 38	900	1088	0.766	4
35 - 38	1200	1275	1.084	5
35 - 38	1500	1490	1.402	5
40 - 48	600	1195	0.535	2
40 - 48	750	1284	0.718	3
40 - 48	900	1386	0.914	3
40 - 48	1200	1565	1.306	4
40 - 48	1500	1750	1.697	5
40 - 48	1800	1960	2.089	6

## Features



### Integrated Head Bracket

Optimal durability and performance by evenly distributing torsional force.

### 5 Axis Robot Welding

All general assembly is conducted by industry leading machinery for optimal finish.

### Dual Radius Design

Reduces bucket drag and wear, boosting productivity and cycle times.

### Reinforced Wear Protection

Additional sidewall wear plating (2T+) and underbelly strips (4.5T+) prevent wear, extending bucket life.

### Customisable

Fully customisable options for bolt-on edge, chisel teeth, or weld-on edge.

## **AUSSIE BUCKETS**

**SAY NO TO MARKUPS**

For complete information on Aussie Buckets products and industry solutions, visit our website:

[www.aussiebuckets.com.au](http://www.aussiebuckets.com.au)

The photos in this catalog display various tonnages and are for illustrative purposes only. To confirm specific wear and design elements, please discuss your requirements with a member of our team. Final designs and wear elements may vary by tonnage. All product specifications were accurate at the time of publishing; however, these may differ from current specifications. For the latest details, please consult with an attachment specialist.

The words "Aussie Buckets" and the associated logo are registered trademarks within Australia.

© 2025 AUSSIE BUCKETS PTY LTD