



Grading Bucket

2025

PRODUCT OVERVIEW.....	01
SPECIFICATIONS & FEATURES.....	03



*Pictured model: 12-14 T, 1500mm Wide Grading Bucket

Grading Bucket

AVAILABLE FOR 3-24 T

Our Grading Bucket is a reliable and efficient attachment designed to excel in a variety of grading applications. Constructed with high-quality SM490 Steel, this bucket offers a strong, lightweight, and cost-effective solution for general grading tasks.

When combined with Hardox 500, the Heady Duty model delivers exceptional abrasion resistance and extended durability, ideal for the toughest conditions. Reinforced wear plates on high-wear areas such as side walls and the underbelly enhance longevity and performance.

Available in a broad range of widths, the Grading Bucket is compatible with various machines and job sizes, making it

perfect for road grading, land clearing, and general leveling. Its versatile low-side wall design minimises material build-up and blockages, boosting grading efficiency and precision.

The lighter, wider, and shallower profile ensures easy handling in tight spaces while moving soil, gravel, and sand with fewer passes, saving both time and effort.

Backed by our industry-leading 5-year warranty, the Grading Bucket combines superior materials and innovative design to deliver outstanding performance and reliability on every project.



Specifications

Grading Bucket

Tonnage	Width (mm)	Weight (kg)	Material
3 - 4	900	132	SM490
3 - 4	1000	142	SM490
3 - 4	1100	153	SM490
5 - 7	1100	207	SM490
5 - 7	1200	222	SM490
5 - 7	1300	238	SM490
8 - 11	1300	313	SM490
8 - 11	1400	332	SM490
8 - 11	1500	351	SM490
12 - 14	1400	505	SM490
12 - 14	1500	533	SM490
12 - 14	1600	562	SM490
15 - 18	1500	609	SM490
15 - 18	1600	642	SM490
15 - 18	1700	675	SM490
20 - 24	1600	867	SM490
20 - 24	1700	913	SM490
20 - 24	1800	958	SM490
20 - 24	2000	1048	SM490

Heavy Duty Grading Bucket

Tonnage	Width (mm)	Weight (kg)	Material
3 - 4	900	120	HARDOX 500
3 - 4	1000	127	HARDOX 500
3 - 4	1100	134	HARDOX 500
5 - 7	1100	188	HARDOX 500
5 - 7	1200	202	HARDOX 500
5 - 7	1300	216	HARDOX 500
8 - 11	1300	289	HARDOX 500
8 - 11	1400	307	HARDOX 500
8 - 11	1500	325	HARDOX 500
12 - 14	1400	460	HARDOX 500
12 - 14	1500	487	HARDOX 500
12 - 14	1600	514	HARDOX 500
15 - 18	1500	568	HARDOX 500
15 - 18	1600	599	HARDOX 500
15 - 18	1700	630	HARDOX 500
20 - 24	1600	803	HARDOX 500
20 - 24	1700	844	HARDOX 500
20 - 24	1800	885	HARDOX 500
20 - 24	2000	966	HARDOX 500

Features



Broad Range

Available in various widths to fit different machines and job sizes, making it perfect for tasks like road grading, land clearing, and general levelling.

High Quality Materials

SM490 Steel is a strong, lightweight, and cost-effective solution for general grading application. Hardox 500 combined with SM490 is ideal for tough conditions, offering abrasion resistance and longer life. Reinforced wear plates in high-wear areas like side walls and underbelly are in place to provide extra durability.

Versatile Design

Low-side wall design reduces material build-up and blockages, improving grading efficiency and precision. Its lighter, wider, and shallower profile ensures easy handling in tight spaces. It also moves soil, gravel, and sand with fewer passes, saving time and effort.

AUSSIE BUCKETS

SAY NO TO MARKUPS

For complete information on Aussie Buckets products and industry solutions, visit our website:

www.aussiebuckets.com.au

The photos in this catalog display various tonnages and are for illustrative purposes only. To confirm specific wear and design elements, please discuss your requirements with a member of our team. Final designs and wear elements may vary by tonnage. All product specifications were accurate at the time of publishing; however, these may differ from current specifications. For the latest details, please consult with an attachment specialist.

The words "Aussie Buckets" and the associated logo are registered trademarks within Australia.

© 2025 AUSSIE BUCKETS PTY LTD