




AUSSIE BUCKETS
SAY NO TO MARKUPS

Rock Bucket

2025

PRODUCT OVERVIEW..... 01
SPECIFICATIONS & FEATURES..... 03

*Pictured model: 45T Rock Bucket 1800mm Wide



Rock Bucket

AVAILABLE FOR 20T-58T

Aussie Buckets recognizes that a purpose-built attachment is the optimal solution for enhancing operational efficiency. Our Rock Buckets are meticulously engineered to complement your machine and operational requirements. Designed to withstand the rigorous demands of your site, our attachments maintain fuel efficiency, protect machine health, and maximize productivity. With Aussie Buckets, you receive a tailored solution that delivers superior performance without compromise.

Productivity reaches its peak when you pair your excavator with an Aussie Buckets attachment, purpose-designed to utilise your machine's power.

Our Heavy Duty Rock Buckets are rigorously designed and tested to integrate seamlessly with your excavator, ensuring unmatched efficiency and durability on every job site.

Ideal for where peak performance is required, engineered and designed in Australia we understand better than most the harsh conditions you come up against.

Carefully selected steels and wear packaging based on the material you'll primarily be handling the most allow us to get the balance right between productivity and efficiency.

Specifications

Rock Bucket

Tonnage	Width (mm)	Weight (kg)	Capacity	Front Lip / Side Walls	Wear Plating
20-24	1100	1023	0.78 CBM	Q460	Q355B
20-24	1200	1066	0.86 CBM	Q460	Q355B
25-28	1350	1148	0.98 CBM	Q460	Q355B
30-38	1400	1778	1.48 CBM	Q460	Q355B
30-38	1500	1830	1.6 CBM	Q460	Q355B
40-44	1650	2468	2.0 CBM	Q460	Q355B
45-48	1800	2595	2.24 CBM	Q460	Q355B
50-58	1850	2624	2.3 CBM	Q460	Q355B

Heavy Duty Rock Bucket

Tonnage	Width (mm)	Weight (kg)	Capacity	Front Lip / Side Walls	Wear Plating
20-24	1100	1023	0.78 CBM	HARDOX450	NM400
20-24	1200	1066	0.86 CBM	HARDOX450	NM400
25-28	1350	1148	0.98 CBM	HARDOX450	NM400
30-38	1400	1778	1.48 CBM	HARDOX450	NM400
30-38	1500	1830	1.6 CBM	HARDOX450	NM400
40-44	1650	2468	2.0 CBM	HARDOX450	NM400
45-48	1800	2595	2.24 CBM	HARDOX450	NM400
50-58	1850	2624	2.3 CBM	HARDOX450	NM400

Features



Superior Bulk Dynamics & Improved Geometry

Increased loading capacity and reduced drag for optimised production efficiency to save time and reduce job timelines.

Dual Radius Design

Reduced drag and wear, increasing productivity and cycle times.

High Penetration Rock Teeth

Allows easy penetration & even wear over time. This helps to maintain optimal performance in tough conditions, for more consistent on-site productivity.

AUSSIE BUCKETS

SAY NO TO MARKUPS

For complete information on Aussie Buckets products and industry solutions, visit our website:

www.aussiebuckets.com.au

The photos in this catalog display various tonnages and are for illustrative purposes only. To confirm specific wear and design elements, please discuss your requirements with a member of our team. Final designs and wear elements may vary by tonnage. All product specifications were accurate at the time of publishing; however, these may differ from current specifications. For the latest details, please consult with an attachment specialist.

The words "Aussie Buckets" and the associated logo are registered trademarks within Australia.

© 2025 AUSSIE BUCKETS PTY LTD